


LIQUID RING VACUUM PUMPS


# L Series




Did you know about...

our **EXPERTISE?**

Our  
**PATENTED**  
Liquid Ring System  
**RECLAIMS**  
its own water



**NEW**  
High Water  
Carry-Over Models



We Have a Legacy of  
**Inventing** Original Solutions

Did you know about the...

# L Series RANGE?

## APPLICATIONS

- Ceramic & brick industry
  - Degassing
- Drying systems
- Environmental engineering
  - Oil purification
  - Sanitation technology
  - Vacuum tankers
- Food & beverage industries
  - Central vacuum systems
  - Dairy industry
  - Filtering systems
  - Food preservation
  - Salt water desalination
  - Sugar production
  - Water degassing of beverages
- Lifting & handling
- Medical industry
  - Central vacuum systems
  - Steam sterilization (autoclaves)
- Packaging industry
  - Blister pack machines
  - Filling and sealing machines
  - Filling PET bottles with beer
  - Rolling machines
- Plastics industry
  - Adhesion of plastic parts
  - Calibrating
  - Degassing rubber parts
  - EPS foaming
  - Extruder degassing
- Granulate conveying
- Removal and compression of vinyl chloride gas



PRECISION  
OPTIONS FOR  
**YOUR**  
APPLICATION

OVER  
**30**  
MODELS


Did you know about our...

# LIQUID RING?

L-BV54 High Water Carry-Over

= **LOWEST** in Class for Horsepower Use

= **SAVINGS**



## Product Overview

### L-BL2

**Also known as the Elmo Rietschle "Pump in a Box"**, these self-contained portable units are oil free and air cooled. They include an L-BV liquid ring pump, industrial electric motor, discharge separator, heat-exchanger and discharge condenser. To install, simply connect the suction line and motor and fill the water tank—it's ready to go!

### Small but Mighty


- Patented water reclamation system
- Unique coatings
- Stainless Steel options
- Bronze alloy impellers
- Anti-cavitation as standard



L-BL2  
"Pump in a Box"



L-BV3




### L-BV3


#### Performance strength in the smallest space

The L-BV3 liquid ring vacuum pumps are remarkable—whether they are used for sterilizers or for medical/laboratory equipment, they excel where extremely small suction capacities are required within a minimum of space. With a suction volume of up to 6.18 cfm, these little workhorses are particularly quiet and consume very little water. The L-BV3 can handle suction vapors and liquids.

L-BV2



L-BV7




### L-BV7 / L-BV2

#### Multi-purpose liquid ring pumps

Our L-BV7 and L-BV2 liquid ring pumps are high-efficiency machines which save space and consume up to 50 % less water. These pumps are available in various combinations of materials such as stainless steel, bronze, ceramic and cast iron with a ceramic coating. This enables them to be tailored to the respective operating requirements and thus provides long term resistance to corrosion.

L-BV5





### L-BV5

#### Monoblock pumps with the highest volume flow

The L-BV5 family is characterized by a very high suction volume of up to 353 cfm with suction pressures of up to 29 inHg and are primarily used for applications with large quantities of liquids (2BV54). The L-BV5 also simultaneously works as a condenser while suctioning condensable vapors. This enables the suction volume to be doubled. Reinforced stainless steel shafts, continuously lubricated bearings and a coated pump housing prevent wear and tear caused by solids that are also ingested, and guarantee constant performance, even after many years of use.


L-BV54





## Operating Principle

- The impeller **(1)** is the only moving part.
- It rotates without contact inside the pump casing **(2)**.
- A rotating liquid ring **(3)** seals the impeller on the front and seals its blades against one another.
- Gas flows through the inlet slot **(4)** into the blade cells.
- The impeller is offset within the casing. This creates variable compression chambers between the blades **(5)**, which compresses the gas within a full revolution.
- In order to stabilize the ring, liquid is also permanently sucked into the compression chamber and is expelled **(6)** together with the conveyed gas.



## We Are Where You Need Us

- Our distribution network is factory-trained and certified
- Local service includes support for re-build



Did you know about...  
our **network?**

The leader in every market we serve  
by continuously improving all business processes  
with a focus on innovation and velocity



[www.ElmoRietschle.com](http://www.ElmoRietschle.com)

©2024 Industrial Technologies and Services, LLC.  
Printed in U.S.A.  
ER-L-LIQRNG 2nd Ed. 7/24

